

兔抗 BCAT2 多克隆抗体

中文名称：兔抗 BCAT2 多克隆抗体

英文名称：Anti-BCAT2 rabbit polyclonal antibody

别名：BCAM; BCT2; PP18; BCATM

相关类别：一抗

抗原：BCAT2

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a branched chain aminotransferase found in mitochondria. The encoded protein forms a dimer that catalyzes the first step in the production of the branched chain amino acids leucine, isoleucine, and valine. Multiple transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	BCAT2
Immunogen:	Fusion protein of human BCAT2
Full name:	branched chain amino-acid transaminase 2, mitochondrial
Synonyms :	BCAM; BCT2; PP18; BCATM

SwissProt:	O15382
ELISA Recommended dilution:	1000-5000
IHC positive control:	Human cervical cancer and human thyroid cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	44 kDa
WB Positive control:	Human placenta tissue and NIH/3T3 cells, Raji and h epG2 cells
WB Recommended dilution:	200-1000



