

小鼠抗 6X His 单克隆抗体

- 中文名称： 小鼠抗 6X His 单克隆抗体
- 英文名称： Anti-6×His Tag mouse monoclonal antibody
- 别 名： 6 His epitope tag
- 相关类别： 标签抗体
- 储 存： 冷冻（-20℃） 避光
- 宿 主： Mouse
- 抗 原： 6×His Tag
- 反应种属： Fusion proteins containing the His Tag
- 标 记 物： Unconjugate
- 克隆类型： mouse monoclonal

技术规格

| | |
|--------------------------|--|
| Background: | The 6 X histidine motif is used as a tag on many recombinant proteins to facilitate purification. It can then be purified using immobilized metal ions, traditionally nickel, in a procedure termed immobilized-metal affinity chromatography. Further analysis of the protein can be achieved using an antibody specific to the 6 X histidine in techniques such as western blotting. The antibody recognizes the His-tag fused to targeted proteins in transfected or transformed cells. |
| Applications: | WB, IF, IP |
| Name of antibody: | 6×His Tag |
| Immunogen: | Synthetic peptide conjugated with KLH |
| Full name: | HHHHHH Tag |

| | |
|---------------------------------|--|
| Synonyms: | 6 His epitope tag |
| WB Predicted band size: | 50 kDa |
| WB Positive control: | Fusion proteins containing the His Tag |
| WB Recommended dilution: | 1000-5000 |
| IF Positive control: | 3T3 cells |
| IF Recommended dilution: | 100-500 |
| IP Recommended dilution: | 100-200 |



