

兔抗 ABCC6 多克隆抗体

中文名称: 兔抗 ABCC6 多克隆抗体

英文名称: Anti-ABCC6 rabbit polyclonal antibody

别 名: ATP binding cassette subfamily C member 6; ARA; PXE; MLP1; MRP6; PXE1; URG7; ABC34; GACI2; MOATE; MOAT-E; EST349056

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: ABCC6

反应种属: Human

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | The protein encoded by this gene is a member of th |
|-------------------|--|
| | e superfamily of ATP-binding cassette (ABC) transport |
| | ers. ABC proteins transport various molecules across e |
| | xtra- and intra-cellular membranes. ABC genes are div |
| | ided into seven distinct subfamilies (ABC1, MDR/TAP, |
| Background: | MRP, ALD, OABP, GCN20, White). The encoded protei |
| | n, a member of the MRP subfamily, is involved in mu |
| | Iti-drug resistance. Mutations in this gene cause pseu |
| | doxanthoma elasticum. Alternatively spliced transcript |
| | variants that encode different proteins have been des |
| | cribed for this gene. |
| Applications: | ELISA, IHC |
| Name of antibody: | ABCC6 |



全国订货电话 4008-723-722

| Immunogen: | Synthetic peptide of human ABCC6 |
|------------------------------------|--|
| Full name: | ATP binding cassette subfamily C member 6 |
| Synonyms: | ARA; PXE; MLP1; MRP6; PXE1; URG7; ABC34; GACI2; MOATE; MOAT-E; EST349056 |
| SwissProt: | O95255 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer |
| IHC Recommend dilution: | 20-100 |





