

兔抗 CES1 多克隆抗体

中文名称：兔抗 CES1 多克隆抗体

英文名称：Anti-CES1 rabbit polyclonal antibody

别名：carboxylesterase 1; CEH; REH; TGH; ACAT; CE-1; CES2; HMSE; SES1; HMSE1; PCE-1; hCE-1

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CES1

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the carboxylesterase large family. The family members are responsible for the hydrolysis or transesterification of various xenobiotics, such as cocaine and heroin, and endogenous substrates with ester, thioester, or amide bonds. They may participate in fatty acyl and cholesterol ester metabolism, and may play a role in the blood-brain barrier system. This enzyme is the major liver enzyme and functions in liver drug clearance. Mutations of this gene cause carboxylesterase 1 deficiency. Three transcript variants encoding three different isoforms have been found for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	CES1
Immunogen:	Fusion protein of human CES1
Full name:	carboxylesterase 1

Synonyms:	CEH; REH; TGH; ACAT; CE-1; CES2; HMSE; SES1; HMSE1; PCE-1; hCE-1
SwissProt:	P23141
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	63 kDa
WB Positive control:	A549 cell lysate
WB Recommended dilution:	1000-5000



